

Recommended Vaccination and Deworming Schedule:

Foals:

- 12 weeks: Botulism vaccination (#1 of 3)
- 16 weeks: EWT vaccination, Botulism booster (#2)
- 20 weeks: Rabies vaccination, West Nile LC vaccination, EWT booster, Botulism booster (#3)
- 8 Months: Flu/Rhino vaccination every 3 months

Horses in Training and Yearlings:

- * Rotate MLV Rhino with Killed Rhino every 3 months
(*Time the booster @ least 14 days prior to shipping long distances*)
- * MLV IN Flu every 6 months
- * EWT every 6 months (*Spring and Fall*)
- * West Nile LC annually
- * Rabies annually
- * Botulism annually (*3 dose primary series first year*)
- * Strangles IN annually (*2 dose primary series first year*)
- * PHF annually in late Summer (*2 dose primary series first year*)

Horses *not* in Training:

- * Flu/Rhino every 6 months (*MLV or killed*)
- * EWT every 6 months (*Spring and Fall*)
- * West Nile LC annually
- * Rabies annually
- * Botulism annually
- * Strangles IN annually
- * PHF annually in late Summer

Pregnant Mares:

- * Pneumabort-K at 3, 5, 7, & 9 months of pregnancy
- * Botulism at 8, 9, 10 months of pregnancy (*esp. foaling in or shipping to KY*)
- * Rotavirus at 8, 9, 10 months of pregnancy (*only on endemic farms*)
- * EWT, West Nile LC, Rabies, Strangles IN annually 1 month prior to foaling
- * PHF annually in late Summer
- * NO deworming in last 3 weeks of pregnancy
- * Deworm with Ivermectin or Oxibendazole within 48 hr post-foaling

Note: MLV = Modified Live Virus, LC = Live Chimeric

<i>Vaccinations</i>	Horses In Training	<i>Dewormers (6 times per year)</i>
MLV IN Flu MLV Rhino	January <i>+EIA (Coggins) Testing</i>	Panacur PowerPac (Fenbendazole)
	February	
	March	Ivermectin
Killed Flu/Rhino, EWT West Nile LC Rabies Botulism Strangles IN	April	
	May	Pyrantel
	June	
MLV IN Flu MLV Rhino EWT PHF	July	Panacur PowerPac (Fenbendazole)
	August	
	September	Any Praziquantal Product
Killed Flu/Rhino	October	
	November	Oxibendazole
	December	

Spring 2010